CORRECTION Open Access



Correction: Biodegradable reduce expenditure bioreactor for augmented sonodynamic therapy via regulating tumor hypoxia and inducing pro-death autophagy

Weijuan Zou^{1,2†}, Junnian Hao^{1†}, Jianrong Wu^{1*}, Xiaojun Cai¹, Bing Hu¹, Zhigang Wang² and Yuanyi Zheng^{1,2,3*}

Correction: Journal of Nanobiotechnology (2021) 19: 418 https://doi.org/10.1186/s12951-021-01166-y

Following publication of the original article [1], the authors identified an error in Fig. 6d.

During the process of using integration images tool to permutate and combine multiple data images into one image, the authors inadvertently copied the image from one layer to another and selected the wrong layer, resulting in group IV and V in Ki-67 staining images being cropped from the same image. The correct figure is provided below and the original article has been updated.

The original article can be found online at https://doi.org/10.1186/s12951-021-01166-v

[†]Weijuan Zou and Junnian Hao contributed equally to this work*Correspondence: wujr_028@126.com; zhengyuanyi@sjtu.edu.cn

¹ Department of Ultrasound in Medicine, Shanghai Institute of Ultrasound in Medicine, Shanghai Jiao Tong University Affiliated Sixth People's Hospital, Shanghai 200233, People's Republic of China Full list of author information is available at the end of the article



© The Author(s) 2022. **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit http://creativecommons.org/licenses/by/4.0/. The Creative Commons Public Domain Dedication waiver (http://creativecommons.org/loublicdomain/zero/1.0/) applies to the data made available in this article, unless otherwise stated in a credit line to the data




Fig. 6 In vivo antitumor efcacy enabled by HHBP. **a** The tumor growth curves following diferent treatments (n = 3). ***P < 0.001. **b** Body weight of 4T1 tumor-bearing mice after diferent treatments (n = 3). **c** Representative images of the excised tumors after diferent treatments. (l) PBS, (ll) HMME@HMONs-PEG, (lll) HHBP, (IV) HMME@HMONs-PEG + US, and (V) HHBP + US. **d** Histological and immunohistochemical analyses of H&E, Ki67 and TUNEL assays for the excised tumor tissues after diferent treatments. Scale bar = 200 μ m. e Representative immunofuorescence images of LC3 in the tumor tissues of mice after diferent treatments. Scale bar = 100 μ m

Author details

¹Department of Ultrasound in Medicine, Shanghai Institute of Ultrasound in Medicine, Shanghai Jiao Tong University Affiliated Sixth People's Hospital, Shanghai 200233, People's Republic of China. ²Chongqing Key Laboratory of Ultrasound Molecular Imaging, Ultrasound Department of the Second Affiliated Hospital of Chongqing Medical University, Chongqing 400010, People's Republic of China. ³State Key Laboratory of Oncogenes and Related Genes, School of Medicine, Shanghai Jiao Tong University, Shanghai 200233, People's Republic of China.

Published online: 09 December 2022

Reference

 Zou W, Hao J, Wu J, Cai X, Hu B, Wang Z, Zheng Y. Biodegradable reduce expenditure bioreactor for augmented sonodynamic therapy via regulating tumor hypoxia and inducing pro-death autophagy. J Nanobiotechnol. 2021;19(1):1–5.

Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.